



VIMALNX

VIMALNX EQUIPMENTS PVT. LTD.

"HANDLING YOUR MATERIALS, HANDLING YOUR SUCCESS"





2500/ 3000/ 5000 KGS HYDRAULIC PALLET TRUCK

VINX-2500/ 3000/ 5000 Series
Capacity : 2500/ 3000/ 5000 kg
Wheels : PU/CI/ Nylon



STAINLESS STEEL PALLET TRUCK

VINX- SS Series Capacity : 2000 kg
Fork Size : 550*1150 mm/
685*1220 mm



LOW PROFILE HYDRAULIC PALLET TRUCK

VINX-LOW Series
Capacity : 1000-1500 kg
Min Fork Height : 51/65 mm



ELECTRIC PALLET TRUCK

VINX - EP - EPT SERIES
Capacity : 1500 kg
Fork Size : 550*1150 mm/ 685*1220 mm
48 V/ 10Ah (Li ION) Battery



REEL PALLET TRUCK

VINX- REEL SERIES Capacity :
Max. 3000 kg
Wheels : PU/ Nylon/ CI
REEL Diameter : 600-1200 mm



ROUGH TERRAIN HAND PALLET TRUCK

VINX- RTHPT
Capacity : 1000-1250 kg
Fork Size : 500*520 mm



SEMI ELECTRIC HIGH LIFT PALLET TRUCK

VINX-SEHLPT SERIES
Capacity : 1000 & 1500 kg
Lifting Height : 800 mm



SCISSOR PALLET TRUCK

VINX - SLP SERIES
Capacity : 1000 & 1500 kg
Fork Size : 450*1150mm / 685*1150 mm
Lifting Height : 800 mm



HEAVY DUTY BATTERY OPERATED PALLET TRUCK

VINX- EP - RPT SERIES
Capacity : 2500 kg
Fork Size : 550*1150 mm/685*1220 mm
24V/210Ah
(Li ION) Battery Up to 5 ton capacity
optional



HAND PALLET TRUCK WITH SINGLE FORK

VINX-SFHPT-1000
Capacity : 1000 kg



WEIGHING SCALE PALLET TRUCK

VINX - WS SERIES
Capacity : 2000 kg
Wheels : PU/ Nylon Fork Size :
540*1150mm / 685*1220



MANUAL STACKER

VINX - HS SERIES
Capacity : 1 to 2 ton
Lifting Height : 1600-3000 mm
Adjustable Forks Straddle leg optional



SEMI ELECTRIC STACKER

VINX - SES SERIES
Capacity : 1 to 2 ton
lifting Height : 1600-3000 mm
Adjustable forks Straddle leg optional



WALKY STACKER

VINX - FES SERIES
Capacity : 1200 kg to 1500 kg
lifting Height : 1600-3000 mm



FULLY ELECTRIC STACKER

VINX - FES SERIES
Capacity : 1000 to 1500 kg
lifting Height : 1600-6500 mm



COUNTER BALANCE STACKER

VINX-MS-SERIES
Capacity : 500 kg to 2000 kg.

**ELECTRIC REACH STACKER**

VINX-SES-SERIES
Capacity : 500 kg to 1500 kg

**MANUAL STRADDLE STACKER**

VINX-MS-SERIES
Capacity : 0.5 to 2 ton
Lifting Height - 1600 mm to 3000 mm
Operating- Manual Operated

**SEMI ELECTRIC BOOM STACKER**

VINX-SES-SERIES
Capacity : 500 kg to 1500 kg

**PLATFORM DIE LOADER STACKER**

VINX-MS-SERIES
Capacity : 500 kg to 2000 kg.

**DRUM PICKER**

VINX-D-DP-250
Capacity : 250 kg
Operating : Manual

**DRUM PALLETIZER**

VINX -D-DP-AL
Capacity : 400 kg
Adjustable legs

**MANUAL DRUM STACKER TILTER**

VINX - D - HS - ST Capacity : 450 kg
Lifting Height : 1500 mm

**SEMI ELECTRIC DRUM LIFTER CUM TILTER**

VINX-D-SEDLCT-520
Capacity : 520 kg
Lifting Height : 1500 mm

**MANUAL DRUM STACKER**

VINX -D-MDS-400
Capacity : 450 kg
Lifting Height : 1500 mm

**SEMI ELECTRIC DRUM STACKER**

VINX-D-SEDS-400
Capacity : 450 kg
Lifting Height : 1500 mm

**HOOK ATTACHMENT STACKER**


VINX-MS-SERIES
Capacity : 1 Tone kg to 2 Tone kg
Lift Height : 1600 mm To 3000 mm

**MANUAL SCISSOR LIFT TABLE TRUCK**

VINX-SPSLT-SERIES
Capacity : 300 to 2000 kg
Lifting Height : 700 mm to 2000 mm

**SEMI ELECTRIC SCISSOR LIFT TABLE TRUCK**

VINX - ESLTT SERIES
Lifting Height : 880-1300 mm

**ROLLER PLATFORM SCISSOR LIFT TABLE**

Capacity : 300 to 2000 kg
Lifting Height : 700 mm to 2000 mm

**SCISSOR LIFT TABLE TRUCK WITH BALL PLATFORM**

Capacity : 300 to 2000 kg
Lifting Height : 700 mm to 2000 mm

**STATIONARY SCISSOR LIFT TABLE**

VINX - SL SERIES
Capacity : 1000-5000 kg



LOW PROFILE SCISSOR LIFT TABLE

VINX - LP - SLT
Capacity : 1 Tone
Lifting Height : 760 mm
Lifting Time : 18 Sec



SELF-PROPELLED SCISSOR LIFT TABLE

VINX-SPSLT-SERIES
Capacity : 350 kg
Lifting Height : 5 Meter to 14 Meter



DC OPERATED SCISSOR LIFT TABLE

Capacity : 350 kg
Lifting Height : 5 Meter to 14 Meter



AC OPERATED SCISSOR LIFT TABLE

Capacity : 350 kg
Lifting Height : 5 Meter to 14 Meter



PUSH PULL SCISSOR LIFT TABLE

Capacity : 300 to 1000 kg
Lifting Height : 700 mm to 2000 Meter



EDGE DOCK LEVELLER

VINX - EDL SERIES
Capacity : 3000-6000 kg



HYDRAULIC DOCK LEVELLER

VINX - DL SERIES
Capacity : 6000 to 12000 kg



MOBILE RAMP

VINX - MRAMP SERIES
Capacity : 6000 10000 kg
Lifting Option : Manual/ Hydraulic/ Both



3 WHEEL DRUM TROLLEY

VINX-D-DT-HDBD
Capacity : 300 kg



STAIR CLIMBING TROLLEY

VINX - SCT35
Capacity : 100 kg



GAS CYLINDER TROLLEY (SINGLE)

VINX-T-GCTS-300
Capacity : 300 kg



GAS CYLINDER TROLLEY (DOUBLE)

VINX-T-GCTS-500
Capacity : 500 kg



SS PLATFORM TROLLEY

VINX- SSPT SERIES
Capacity : 100 kg to 2000 Kg
Size Can be customized



MS PLATFORM TROLLEY

VINX- MSPT SERIES
Capacity : 100 kg to 2000 Kg
Size Can be customized



WRAP AROUND DRUM TROLLEY

VINX-D-WADT-350
Capacity : 350 kg



ELECTRIC WIRE ROPE HOIST

VINX-EH- SERIES
Capacity : 360 kg to 3000 kg

**MOBILE ORDER PICKER**

VINX - OP - M SERIES
Capacity : 200 kg
Max. Working height : 6500 mm
Movement manual, lifting battery operated

**SAFE PROPELLED ORDER PICKER**

VINX - OP - SP SERIES
Capacity : 300 kg Max.
Working height : 6500 mm
Movement & Lifting battery operated

**DUAL MAST HYDRAULIC GOODS LIFT**

VINX - GL - DM - SERIES
Capacity : 500 KG TO 3000 KG

**HYDRAULIC SINGLE MAST GOODS LIFT**

VINX - GL SM - SERIES
Capacity : 200 KG TO 1500 KG
Wall Supported Structure

**CAGE FORK ATTACHMENT**

VINX - FA - AWP - SERIES
Capacity : 300 KG

**FORK EXTENSION ATTACHMENT**

VINX - FA - EY SERIES
Capacity : 1200 mm to 2000 mm

**SINGLE DRUM ATTACHMENT**

Two Parrot Beak Per Drum
Load Capacity : 360 x 1 = 360 kg

**DOUBLE DRUM ATTACHMENT**

Two Parrot Beak Per Drum
Load Capacity : 360 x 2 = 720 kg

**TELESCOPIC JIB CRANE ATTACHMENT**

Extension Length : 755 ~ 3740 mm
Load Capacity : 3000 ~ 6000 kg

**HOOK MOUNTED DRUM LIFTER ATTACHMENT**

Drum Handling : One Drum
Load Capacity : 560 kg

**THREE DRUM ATTACHMENT**

One Parrot Beak Per Drum
Load Capacity : 500 x 3 = 1500 kg

**FOUR DRUM ATTACHMENT**

One Parrot Beak Per Drum
Load Capacity : 500 x 4 = 2000 kg

**DRUM TILTING ATTACHMENT**


Manual | Electric | Remote Controlled
Load Capacity : 300 kg

**FORKS HOOKS ATTACHMENT**

Fork Mounted
Load Capacity : 2500 ~ 5000 kg

**CAGE BIN TROLLEY**

Load Capacity : 300 To 1000 kg

**PLASTIC PALLETS**

Size : 1000 mm To 1200 mm
Load Capacity : 100 kg

**MANUAL HAND PALLET TRUCK**

OM MAKE Capacity : 2500 Kg

**BATTERY OPERATED PALLET TRUCK**

OM KION MAKE
Capacity : 2000 Kg

**WALKIE STACKER**

OM KION MAKE
Capacity : 1200 Kg
Lifting Height : 3600 mm

**FULLY ELECTRIC STACKER**

OM KION MAKE
Capacity : 1.5 T / 1.6 T
Lifting Height : Up to 6500 mm

**REACH STACKER**

OM KION MAKE
Capacity : 1.6 Tone / 2 Tone

**ELECTRIC TOW TRUCK**

OM KION MAKE
Capacity : 2 Tone / 5 Tone

**DIESEL FORK LIFT**

OM KION MAKE
Capacity : 2 Tone / 3 Tone / 5 Tone
/ 8 Tone / 15 Tone

**ELECTRIC FORK LIFT**

OM KION MAKE
Capacity : 2 Tone / 3 Tone
Lifting Height : 3100-6030 mm

**HAND PALLET TRUCK**

LINDE MAKE Capacity : 2.5 Tone

**ELECTRIC PALLET TRUCK**

LINDE MAKE Capacity : 1.5 To 2 Tone
(MT15 - MT 20)

**ELECTRIC PALLET STACKER**

OM KION MAKE
Capacity : 1.6 To 2 Tone

**ELECTRIC FORK LIFT**

LINDE / KION MAKE
Capacity : 5 Tone
Lifting Height : 3150-5450 mm

**REACH TRUCK**

LINDE MAKE
Capacity : 5 Tone
Lifting Height : 3150-5450 mm

**JIB CRANE**

VINX-JC SERIES
Capacity : 500 kg to 2000

**GANTRY CRANE**

VINX-GC SERIES
Capacity : 500 kg to 2000 kg
Manual Chain Pulley Block / Electric Hoist


**WHEELS**

Nylon / PU / CI



LOAD EXTENDER ATTACHMENT

Extension Length : 1150 - 1165 mm
Load Capacity : 2500 - 3500 kg



FORK POSITIONER ATTACHMENT

Opening Range : 50 - 1400 mm
Load Capacity : 2500 - 7500 kg



FOAM RUBBER CLAMP ATTACHMENT

Range : 2600 mm
Arm Length : 2600 mm
Load Capacity : 500 - 1800 kg



LOAD STABILIZER ATTACHMENT

Opening Range : 1140 - 2290 mm
Load Capacity : 1600 kg



MULTY PALLET HANDLER ATTACHMENT

Opening Range : 330 - 760 / 660 - 2040 mm
Load Capacity : 1000 kg



PAPER ROLL CLAMP ATTACHMENT

Roll Range : 200 ~ 2200 mm
Load Capacity : 1200 ~ 8000 kg




BALE CLAMP ATTACHMENT

Opening Range : 450 ~ 2300 mm
Load Capacity : 1900 ~ 3500 kg



SIDE SHIFTING ATTACHMENT

Side Shifting Range : +100 mm
Load Capacity : 2500 - 6800 kg



HYDRAULIC GRAPPLE BUCKET ATTACHMENT

Range : ~1805 mm
Tilting : 25°/45°
Load Capacity : 2500 kg




FORKLIFT FORKS

Class 2 | Class 3 | Class 4
Load Capacity : 1 ~ 45 Ton / pair



FORKS WITH LONGER LENGTHS

Fork Length : up to 4000 mm
Load Capacity : 1 ~ 45 Ton/Pair




FORK EXTENSIONS

Max. Extension Length : 4000 mm
Load Capacity : 1 ~ 5 Ton / Pair



PUSH PULL / SLIP SHEET ATTACHMENT

Fork Mounted & Dedicated
Load Capacity : 1600 ~ 2000 kg



ROTATION FORK ATTACHMENT

Rotation : 360°
Load Capacity : 2500 ~ 12000 kg



CARTON / APPLIANCE CLAMP ATTACHMENT

Opening Range : 550 - 1850 mm
Load Capacity : 1400 - 2300 kg



MAINTENANCE PLATFORM ATTACHMENT

Platform Size : 950 x 950 ~ 1200 x 1000 mm
Load Capacity : 300 kg

Importers of all types of Caster wheel & Trolley Wheel



TYRE WHEELS



SRT WHEELS



PU WHEELS



NYLON WHEELS



CI PU WHEELS



CI WHEELS



PP WHEELS

HPT LOAD
WHEELSHPT STERRING
WHEELSVGROVES
WHEELSSS CASTER
WHEELSORANGE PU
WHEELSTWIN CASTER
WHEELS

VIMALNX

PU ROLLER
WHEELS

Importers and Stocklist of Material Handling Equipments.

Hand Pallet Trucks
Manual Stackers
Semi Electrical Stacker
Scissor Hand Pallet Truncks
Scissor Lift
Drum Lifter and Tilters
Drum Trolley
Platform Trolley

WHY VIMALNX RENTALS?

RENTAL BENEFITS
Less/ no maintence & repair
Lower upfront costs
No storage issue
Try First and then buy
Access to the latest technologies
Shielding From market fluctuation

☎ 9130603058 / 8956212943/44/45 ✉ vimalnxequipments@gmail.com

📍 Sr. No. 123, Kate Estate, Opp. Indian Oil Petrol Pump, Nashik - Pune Hwy, behind Mahadev Marbal, Landge Nagar, Bhosari, Pune, Maharashtra - 411039.